CDM-MOC-FORM: ANNEX 2

This annex is to be used by the focal point(s) for scope of authority (b) or by the submitting project participant when applicable, to request changes to project participant status and contact details of focal points following project/programme registration.

Date of submission:	09/05/2013
CDM PROJECT/PROGRAMME OF ACTIVITIES DETAILS	
Title of the project/programme of activities:	Baotou Iron & Steel Coke Dry Quenching #3 and Waste Heat Utilization for Electricity Generation Project
Project/programme of activities reference number:	1668

SECTION 2: ADDITION/CHANGE OF LEGAL NAME OF A PROJECT PARTICIPANT ENTITY/IES

☐ **Add project participant entity**
☒ **Change legal name of project participant entity** *(if selected, indicate former name below)*
The following entity is hereby added as a project participant or is newly named in respect of the above CDM project / programme of activities. By providing a specimen signature below, the project participant confirms its acceptance of the current modalities of communication.

Name of entity:
Danish Ministry of Climate, Energy and Building

Address:
Amaliegade 44, DK 1256 Kobenhavn K, Denmark
1256 Kobenhavn
Denmark

Former name of project participant entity (if applicable):
Danish Ministry of Climate and Energy/Danish Energy Agency

Party (country authorizing participation):
Denmark

End-date of participation:	☒ N/A (participation is not limited in time) ☐ dd/mm/yyyy

Contact details (primary authorized signatory):	Mr. ☒ Ms. ☐
Last name: Schmidt	Telephone 1:
First name: Frederik	Telephone 2 (optional):
Email:	Fax (optional):
Specimen signature:	Date (dd/mm/yyyy):

Contact details (alternate authorized signatory):	Mr. ☒ Ms. ☐
Last name: Havskov Sorensen	Telephone 1:
First name: Kristian	Telephone 2 (optional):
Email:	Fax (optional):
Specimen signature:	Date (dd/mm/yyyy):

Signature(s) of the focal point for scope of authority (b)

Name of authorized signatory:	Signature	Date: dd/mm/yyyy

(Add lines for signatories as necessary. Only one signatory per focal point is required.)