Form: ANNEX 2

TOTHI, THATALITY I		
Date of submission	18/04/2012	
Section 1: Project Details		
1. Title of the CDM project activity	Sichuan Ya'an Shaping Hydropower Station Project	
2. Please state reference number if available	2197	
Section 2: Addition/change of name of a project participant		
Add project participant Change name of project participant The following entity is hereby added as a project participant or is newly named in respect of the above CDM project. By providing a specimen signature below, the project participant confirms its acceptance of the Statement of Agreement of the current modalities of communication.		
Name of the entity: Huadian Ya'an Power Co., Ltd.		
Party (country that authorised participation): China		
Former name of project participant: Sichuan Ya'an Jiesen Power Co., Ltd.		
Contact details (primary authorized signatory):	Mr.⊠ Ms.□	
Last name: Liu	Telephone:	
First name: Yong	Fax:	
Email:	Address:	
Specimen signature:		
Contact details (alternate authorized signatory):	Mr.⋈ Ms. □	
Last name: Lu	Telephone:	
First name: Jun	Fax:	
Email:	Address:	
Specimen signature:		
Signature(s) of designated focal point for scope (b):	Date:	
Name:	Signature:	
Only one primary or alternate signatory per focal point entity is required.		
Section 4: Change of contact details (project participants or focal point entities)		

The following entity is an existing project participant/focal point entity in respect of the above CDM project and hereby requests the following changes to its contact details:	
Project Participant	□ Focal Point
Name of the entity: Huadian Ya'an Power Co., Ltd.	
<b>Party (country that authorised participation):</b> China	
Contact details (primary authorized signatory):	Mr.⊠ Ms.□
Last name: Liu	Telephone:
First name: Yong	Fax:
Email:	Address:
Specimen signature:	
Contact details (alternate authorized signatory):	Mr.⊠ Ms.□
Last name: Lu	Telephone:
First name: Jun	Fax:
Email:	Address:
Specimen signature:	
Signature(s) of designated focal point for scope (b):	Date:
Name:	Signature:
Only one primary or alternate signatory per focal point entity is required.	