



CLEAN DEVELOPMENT MECHANISM

CDM METHODOLOGY

BOOKLET

Eleventh edition

Information updated as of EB 105

November 2019



United Nations
Framework Convention on
Climate Change

TABLE OF CONTENTS

Acknowledgement	2
Foreword	3
Introduction	4
1.1. Methodologies and the Booklet	5
1.2. Categorization by mitigation activity type (methodology categorization table)	7
1.3. Categorization by applied technology type/measure (methodology family trees)	13
1.4. Programmes of activities	22
1.5. Standardized baselines	23
1.6. Methodologies addressing suppressed demand	24
1.7. Methodologies having benefits for women and children	25
1.8. Methodologies for urban sectors	26
1.8.1. CDM methodologies applicable to city-based mitigation programmes	26
1.8.2. Standardization of parameters	27
1.9. Introduction to methodology Summary sheets	29
Icons, abbreviations and glossary	32
2.1. Icons used in this booklet	33
2.2. Abbreviations used in this booklet	37
2.3. Glossary	39
Methodologies for CDM Project activities	43
3.1. Introduction to Methodologies for CDM project activities	44
3.2. Methodological tools for CDM project activities	45
3.3. Methodologies for large-scale CDM project activities	51
3.4. Methodologies for small-scale CDM project activities	167
Methodologies for afforestation and reforestation (A/R) CDM project Activities	267
4.1. Introduction to methodologies for A/R CDM project activities	268
4.2. Methodological tools for A/R CDM project activities	269
4.3. Methodologies for large-scale A/R CDM project activities	271
4.4. Methodologies for small-scale A/R CDM project activities	274

ACKNOWLEDGEMENT

© 2019 United Nations Framework Convention on Climate Change

First edition: November 2010

Second edition: November 2011

Third edition: May 2012

Fourth edition: November 2012

Fifth edition: November 2013

Sixth edition: November 2014

Seventh edition: November 2015

Eighth: November 2016

Ninth: November 2017

Tenth edition: November 2018

Eleventh and current edition: November 2019

Available online: <<https://cdm.unfccc.int/methodologies/>>

The production of this booklet benefited from the suggestions of Secretariat staff and thoughtful comments from several experts on the content that would be most helpful to people wishing to find and understand methodologies and methodological tools of interest to them. In order to enhance its utility and respond to the needs of stakeholders the Secretariat welcomes comments and suggestions, which can be emailed to: CDM-info@unfccc.int.

This booklet will also be updated regularly in order to reflect changes in approved methodologies and methodological tools. The latest version of the booklet is available on the UNFCCC website. It is also possible to contact the Secretariat and request USB sticks of the booklet.

For further information contact:

United Nations Climate Change Secretariat

UN Campus

Platz der Vereinten Nationen 1

53113 Bonn, Germany

Telephone +49. 228. 815 10 00

Telefax +49. 228. 815 19 99

secretariat@unfccc.int

www.unfccc.int

Photos:

Cover	Christos Anagnostopoulos CDM project 0740: Zafarana Wind Power Plant Project
Page 4	Pedro Guinle CDM project 1843: Primavera Small Hydroelectric Project
Page 32	Nic Bothma CDM project 0079: Kuyasa low-cost urban housing energy upgrade project, Khayelitsha (Cape Town; South Africa)
Page 43	Mi Wenju CDM project 1320: Beijing Taiyanggong CCGT Trigeneration Project
Page 51	Adeel Halim CDM project 0826: Bagasse based Co-generation Power Project at Khatauli
Page 167	Burkhard Seifert CDM project 2969: CDM LUSAKA SUSTAINABLE ENERGY PROJECT 1
Page 267	Yi Zhang-Energy Systems International CDM project 0894: Xinjiang Daban Cheng Sanchang First Phase Wind Farm Project
Page 271	Dwarakaa CDM project 2941: Biomass based power project at T-Kallupatti village, Madurai District, Tamil Nadu, India
Page 274	Ruben Loy CDM Project 0297, LaGeo, S.A. de C.V., Berlin Geothermal Project, Phase Two

FOREWORD



The international community achieved a resounding success with the new, universal climate change agreement adopted at COP21 in Paris in December 2015. The Paris Agreement marks a historic turning point in our common journey towards a secure and sustainable world. The Paris Agreement will shape international climate policy for the next decades. It holds great challenges, but also exciting, transformational opportunities driven by ambitious national action and increased international cooperation.

The Paris Agreement is a catalyst for policies and action for low-carbon development, climate finance, technology transfer, capacity building and market-driven approaches. For market-based approaches, different types of contributions and units are available for transfer. Compatibility, comparability and fungibility among these units ensures there is no double counting and safeguards environmental integrity. Internationally recognized standards to quantify emission reductions is key for environmental integrity.

Environmental integrity is crucial for the Clean Development Mechanism, or CDM, and methodologies form the foundation for integrity. Methodologies help establish a project's emissions baseline, or anticipated emissions if the project does not move forward. They also help monitor, quantify and accurately estimate emissions once a project is built. Eligible certified emission reduction units are determined by the difference between the baseline and actual emissions. Methodologies are essential to quantify real and accurate emission reductions. Standardized baselines allow methodologies also to cover sector-wide emissions.

While the necessity of methodologies is easy to understand, how they are constructed is quite complex. To make standards applicable to projects from diverse sectors, techno-economic situations and geographical regions, they must be diverse in composition and application. This publication is designed to guide users through the complex world of CDM methodologies.

This booklet clearly summarizes mitigation methodologies available under the CDM. This can help market actors choose the right method to estimate their emission reductions. It is my firm belief and that of the team that developed this work, that this will contribute to more CDM projects where there is larger impact on sustainable development. This holds great potential to improve the livelihoods of people, reduce poverty, promote better health, directly benefit women and children and enhance the regional distribution of projects, which is a key desire of Parties to the Kyoto Protocol, the CDM Executive Board and this secretariat.

CDM has played a critical role in promoting climate action on the ground in more than one hundred developing countries and remains one of the most successful running international market mechanisms. It is clear from the Paris Agreement that the CDM will continue to be an important tool in meeting the climate change challenge, and this report helps accomplish that vision.

A handwritten signature in blue ink, appearing to read 'James Grabert', written over a light blue background.

James Grabert, Director
Sustainable Development Mechanisms (SDM)
United Nations Framework Convention on Climate Change



CDM Methodology Booklet

Chapter I

INTRODUCTION

1.1. METHODOLOGIES AND THE BOOKLET

BASELINE AND MONITORING METHODOLOGIES

The Clean Development Mechanism (CDM) requires the application of a baseline and monitoring methodology in order to determine the amount of Certified Emission Reductions (CERs) generated by a mitigation CDM project activity in a host country. Methodologies are classified into five categories:

- Methodologies for large-scale CDM project activities;
- Methodologies for small-scale CDM project activities;
- Methodologies for large-scale afforestation and reforestation (A/R) CDM project activities;
- Methodologies for small-scale A/R CDM project activities;
- Methodologies for carbon capture and storage (CCS) project activities.¹

Methodologies often refer to methodological tools, which address specific aspects of the project activity, e.g. to calculate Greenhouse Gas (GHG) emissions from specific sources.

PURPOSE OF THE BOOKLET

This booklet provides concise summaries of CDM methodologies and description of methodological tools, approved by the CDM Executive Board (Board). It is arranged to assist CDM project developers in identifying methodologies that are suitable for their CDM project activities.² The general purpose of the booklet is to help in achieving the objective of the Board to raise awareness of CDM methodologies.

USE OF THE BOOKLET

The booklet is intended for use by varied audiences interested in the CDM and in particular potential CDM project developers who already have an idea of the mitigation project activities they intend to implement. It facilitates the initial selection of potentially applicable methodologies. However, it cannot provide detailed guidance on specific elements of each methodology nor replace the approved methodologies. Therefore, the project developers should refer to the original methodologies available on [UNFCCC CDM methodologies website](#).

This edition of the Booklet reflects the effective status of methodologies and methodological tools as of November 2019 (up to EB 105). However, as methodologies and methodological tools may change, users of the booklet are encouraged to consult EB meeting reports subsequent to EB 105 to find out whether any changes have occurred.

CONTENT OF THE BOOKLET

Each methodology is presented through a one-page summary sheet, which provides the following information:

- Typical project(s) to which the methodology is applicable;
- Type(s) of GHG emission mitigation action;
- Important conditions for application of the methodology;
- Key parameters that need to be determined or monitored;
- Visual description of baseline and project scenarios.

A short textual description of each methodological tool is also contained in the booklet.

HOW TO FIND A SUITABLE METHODOLOGY

1. CATEGORIZATION BY MITIGATION ACTIVITY TYPE

This way of looking up methodologies is according to the relevant sectoral scopes and type of mitigation activities such as renewable energy, low carbon electricity generation, energy efficiency measures, fuel and feedstock switch, GHG destruction, GHG emission avoidance, displacement of a more-GHG-intensive output and GHG removal by sinks. Project developers knowing the type of mitigation activity to be implemented in their project activities can thus easily identify potentially suitable methodologies.

2. CATEGORIZATION BY APPLIED TECHNOLOGY TYPE/MEASURE

This second way of looking up methodologies focuses on the technology applied in the project activity. The categorization by technology type enables project developers to identify a set of comparable methodologies applicable to the technology that is going to be implemented in their project activities.

¹ There are no approved methodologies for CCS project activities.

² For the purpose of this booklet, CDM project activities also refer to CDM programme of activities.

AFTER FINDING POTENTIALLY SUITABLE METHODOLOGIES

After identifying potentially applicable methodologies through the summary sheet, users should access the full text of the methodologies available on the [UNFCCC CDM methodologies website](#). It is also advisable to look at information about existing CDM project activities that have already applied the methodologies, which is also available through this website.

If there is no approved methodology applicable, then one can propose a new methodology or request a revision of an approved methodology or methodological tool. In general, the new methodology option should be pursued if a project activity requires methodological approaches substantially different from an approved methodology. The revision option is suitable if an approved methodology is not applicable to a project activity, but the project activity is broadly similar to the one to which the approved methodology is applicable. For cases where an approved methodology is applicable to a project activity but minor changes in the methodology application are required due to the project-specific circumstances, requesting a deviation of an approved methodology could be considered.

If an approved methodology is unclear or ambiguous in its methodological procedures, a request for clarification may be submitted.

CDM PROJECT CYCLE

Once project participants have selected an applicable approved methodology, they apply it to their project activity and prepare a Project Design Document (PDD); this is the first step in the CDM project cycle. The methodology provides provisions for the core elements of a PDD:

- the demonstration of additionality;
- the establishment of the baseline scenario and the estimation of emission reductions or net removals; and
- the monitoring plan.

The main steps of the CDM project cycle and their actors are the following:

- Project design (Project Participants);
- National approval (Designated National Authority);
- Validation (Designated Operational Entity);
- Registration (CDM Executive Board);
- Monitoring (Project Participant);
- Verification (Designated Operational Entity);
- Issuance (CDM Executive Board).

USEFUL LINKS

UNFCCC CDM website
<<https://cdm.unfccc.int/>>

CDM methodologies, submission of proposed new methodologies and requests for clarification and revision
<<https://cdm.unfccc.int/methodologies/index.html>>

CDM project cycle
<<http://cdm.unfccc.int/Projects/diagram.html>>

CDM project activities
<<https://cdm.unfccc.int/Projects/index.html>>

CDM programmes of activities (PoA)
<<https://cdm.unfccc.int/ProgrammeOfActivities/index.html>>

CDM sectoral scopes
<<https://cdm.unfccc.int/DOE/scopes.html>>

CDM standardized Baselines
<http://cdm.unfccc.int/methodologies/standard_base/index.html>

UNEP Risø CDM pipeline analysis and database
<<http://cdmpipeline.org/>>

Finding applicable methodologies — two categorization approaches

There are two ways the booklet categorizes methodologies. The first approach – the methodology categorization table – is based on the sectoral scopes defined by the UNFCCC (see <<https://cdm.unfccc.int/DOE/scopes.html>>). This table allocates the methodology to generic mitigation activity types. This approach is useful for project developers who have not yet made a technology choice or CDM stakeholders who are interested in a type of mitigation activity.

It structures methodologies according to technology and the history of methodology development that has led to several “families” of methodologies all relating to a specific technology. It is appropriate for project developers who have already decided on a particular technology for their project.

1.2. CATEGORIZATION BY MITIGATION ACTIVITY TYPE (METHODOLOGY CATEGORIZATION TABLE)

In addition to the methodology sectoral scopes³, methodologies in this table are also categorized by the type of mitigation activity, these being renewable energy, low carbon electricity generation, energy efficiency measures, fuel switch, GHG destruction, GHG emission avoidance and GHG removal by sinks.

Sectoral scopes 1 to 3 (energy sectors – generation, supply and consumption) are first distinguished according to:

- Electricity generation and supply;
- Energy for industries;
- Energy (fuel) for transport;
- Energy for households and buildings.

And then categorized in terms of type of mitigation activity:

- Displacement of a more-GHG-intensive output:
 - i. Renewable energy;
 - ii. Low carbon electricity.
- Energy efficiency;
- Fuel and feedstock switch.

Sectoral scopes 4 to 15 (other sectors) are categorized according to these mitigation activities:

- Displacement of a more-GHG-intensive output;
- Renewable energy;
- Energy efficiency;

- GHG destruction;
- GHG emission avoidance;
- Fuel switch;
- GHG removal by sinks.

DESCRIPTION OF TYPES OF MITIGATION ACTIVITIES

DISPLACEMENT OF A MORE-GHG-INTENSIVE OUTPUT

This category refers to project activities where the consumption of a more-GHG-intensive output is displaced with the output of the project. The category is separately defined because of the importance of not just implementing the project activity, but also ensuring that the more-GHG-intensive output is displaced by the output of the project activity.

All renewable energy generation and low carbon energy generation project activities are part of this category. Many other methodologies are also allocated to this category depending upon how the emission reductions are calculated in the corresponding methodologies.

Examples:

- Power generation from waste energy recovery and supply to a recipient who was receiving more-GHG-intensive power;
- Power generation using renewable or low carbon energy sources and export of power to a grid with combined margin emission factor of more than zero and/or to a recipient using fossil fuel based power in the absence of project activity.

³ The Methodology categorization table allocates the methodology to the sectoral scope(s) that have been formally defined for it, which are primarily used as the basis of DOE accreditation. However, if there are additional sectoral scopes that are also applicable to the methodology, then the methodology is also shown in these sectors in the table. This is to make it potentially easier to look up the methodology.

RENEWABLE ENERGY

This category includes the use of various renewable energy sources.

Examples:

- Hydro power plant;
- Wind power plant;
- Solar cooker;
- Biomass-fired boiler.

LOW CARBON ELECTRICITY

This encompasses mainly Greenfield electricity generation based on less carbon intensive fuel such as natural gas. As no power plant exists at the project location before implementation of the project, the mitigation activity is not fuel switch. At the same time the applied technology might not be best available technology, differentiating it from energy efficiency measures. A typical low carbon electricity project is the construction of a greenfield natural-gas-fired power plant. Also projects that reduce emissions due to grid extension or connection are included under this category where applicable.

ENERGY EFFICIENCY

The category energy efficiency includes all measures aiming to enhance the energy efficiency of a certain system. Due to the project activity, a specific output or service requires less energy consumption. Waste energy recovery is also included in this category.

Examples:

- Conversion of a single cycle to a combined cycle gas-fired power plant;
- Installation of a more efficient steam turbine;
- Use of highly efficient refrigerators or compact fluorescent lamps;
- Recovery of waste heat from flue gases;
- Recovery and use of waste gas in a production process.

FUEL OR FEEDSTOCK SWITCH

In general, fuel switch measures in this category will replace carbon-intensive fossil fuel with a less-carbon-intensive fossil fuel, whereas a switch from fossil fuel to renewable biomass is categorized as “renewable energy”. In case of a feedstock switch, no differentiation between fossil and renewable sources is applied.

Examples:

- Switch from coal to natural gas;
- Feedstock switch from fossil sources of CO₂ to renewable sources of CO₂;
- Use of different raw material to avoid GHG emissions;
- Use of a different refrigerant to avoid GHG emissions;
- Blending of cement in order to reduce demand for energy intensive clinker production.

GHG DESTRUCTION

The category GHG destruction covers activities that aim at the destruction of GHG. In many cases, the project includes capture or recovery of the GHG. The destruction is achieved by combustion or catalytic conversion of GHGs.

Examples:

- Combustion of methane (e.g. biogas or landfill gas);
- Catalytic N₂O destruction.

GHG EMISSION AVOIDANCE

This category includes various activities where the release of GHG emissions to the atmosphere is reduced or avoided.

Examples:

- Avoidance of anaerobic decay of biomass;
- Reduction of fertiliser use.

GHG REMOVAL BY SINKS

All A/R activities are allocated to this category. Through photosynthesis in plants, CO₂ from the atmosphere is removed and stored in form of biomass.

- Methodologies for large-scale CDM project activities
- Methodologies for small-scale CDM project activities
- Methodologies for small and large-scale afforestation and reforestation (A/R) CDM project activities
- AM0000** Methodologies that have a particular potential to directly improve the lives of women and children

Table VI-1. Methodology Categorization in the Energy Sector

Sectoral scope	Type	Electricity generation and supply	Energy for industries	Energy (fuel) for transport	Energy for households and buildings		
1 Energy industries (renewable-/ non renewable sources) Displacement of a more-GHG-intensive output	Renewable energy	AM0007	AM0007	AM0089	AM0053		
		AM0019	AM0036	ACM0017	AM0069		
		AM0026	AM0053		AM0072		
		AM0052	AM0069		AM0075		
		AM0100	AM0075		AM0094		
		AM0103	AM0089		ACM0022		
		AM0002	ACM0006		ACM0024		
		ACM0006	ACM0020		AMS-I.A.		
		ACM0018	ACM0022		AMS-I.B.		
		ACM0020	ACM0024		AMS-I.C.		
		ACM0022	AMS-I.C.		AMS-I.E.		
		AMS-I.A.	AMS-I.F.		AMS-I.F.		
		AMS-I.C.	AMS-I.G.		AMS-I.G.		
		AMS-I.D.	AMS-I.H.		AMS-I.H.		
		AMS-I.F.			AMS-I.I.		
		AMS-I.G.			AMS-I.J.		
		AMS-I.H.			AMS-I.K.		
		AMS-I.M.			AMS-I.L.		
		Low carbon electricity		AM0045	AM0099		
				AM0074	ACM0025		
	AM0099			ACM0026			
	AM0104						
	AM0108						
	ACM0025						
	ACM0026						
	Energy efficiency		AM0048	AM0048		AM0058	
			AM0049	AM0049		AM0048	
			AM0061	AM0055		AM0084	
			AM0062	AM0056		AM0107	
			AM0076	AM0076			
			AM0084	AM0084			
			AM0107	AM0095			
			ACM0006	AM0098			
			ACM0007	AM0107			
			ACM0012	ACM0006			
			ACM0013	ACM0012			
			ACM0018	ACM0018			
			AMS-II.B.	ACM0023			
			AMS-II.H.				
			AMS-III.AL.				

Table VI-1. Methodology Categorization in the Energy Sector (continued)

Sectoral scope	Type	Electricity generation and supply	Energy for industries	Energy (fuel) for transport	Energy for households and buildings	
1 Energy industries (renewable-/ non renewable sources) (continued)	Fuel/feedstock switch	AM0049	AM0049		AM0081	
		ACM0006	AM0056			
		ACM0011	AM0069			
		ACM0018	AM0081			
		AMS-I.M.	ACM0006			
		AMS-III.AG.	ACM0009			
		AMS-III.AH.	ACM0018			
		AMS-III.AM.	AMS-III.AM.			
2 Energy distribution	Renewable energy	AMS-III.AW.	AM0069		AMS-III.AW.	
		AMS-III.BB.	AM0075			
		AMS-III.BL.				
	Energy efficiency	AM0067				
		AM0097				
		AM0118				
		AMS-II.A.				
		AMS-II.T.				
		AMS-III.BB.				
	Fuel/feedstock switch	AMS-III.BB.	AM0077			
AMS-III.BL.						
3 Energy demand	Renewable energy				AMS-III.AE.	
					AMS-III.AR.	
	Energy efficiency	AMS-III.AL.	AM0017			AM0020
			AM0018			AM0044
			AM0020			AM0046
			AM0044			AM0060
			AM0060			AM0086
			AM0068			AM0091
			AM0088			AM0113
			AM0105			AM0117
			AMS-I.I.			AM0120
			AMS-II.C.			AMS-II.C.
			AMS-II.F.			AMS-II.E.
			AMS-II.G.			AMS-II.F.
			AMS-II.L.			AMS-II.G.
			AMS-II.N.			AMS-II.J.
			AMS-II.P.			AMS-II.K.
			AMS-II.S.			AMS-II.L.
						AMS-II.M.
						AMS-II.N.
			AMS-II.O.			
			AMS-II.Q.			
			AMS-II.R.			
			AMS-III.AE.			
			AMS-III.AR.			
			AMS-III.AV.			
			AMS-III.X.			
Fuel/feedstock switch	AMS-III.B.	ACM0003			AMS-II.F.	
		ACM0005			AMS-III.B.	
		AMS-II.F.				
		AMS-III.B.				

Table VI-2. Methodology Categorization other Sectors

Sectoral scope	Renewable energy	Energy Efficiency	GHG destruction	GHG emission avoidance	Fuel/Feedstock Switch	GHG removal by sinks	Displacement of a more-GHG-intensive output	
4 Manufacturing industries	AM0007	AM0049	AM0078	ACM0005	AM0049		AM0070	
	AM0036	AM0055	AM0096	ACM0021	AM0092		AM0095	
	ACM0003	AM0070	AM0111	AM0057	ACM0003		AM0114	
	AMS-III.Z.	AM0106	AMS-III.K.	AM0065	ACM0005		AM0115	
	AMS-III.AS.	AM0109		AM0092	ACM0009		ACM0012	
	AMS-III.BG.	AM0114		AMS-III.L.	ACM0015			
		AM0115			AMS-III.N.			
		ACM0012			AMS-III.Z.			
		AMS-II.D.			AMS-III.AD.			
		AMS-II.H.			AMS-III.AM.			
		AMS-II.I.			AMS-III.AS.			
		AMS-III.P.						
		AMS-III.Q.						
		AMS-III.V.						
		AMS-III.Z.						
		AMS-III.AS.						
		AMS-III.BD.						
	AMS-III.BG.							
5 Chemical industries	ACM0017	AM0055		ACM0019	AM0053	AM0027		AM0053
	AM0053	AM0114		AM0021	AMS-III.M.	AM0037		AM0055
	AM0075	AMS-III.AC.	AM0028	AMS-III.AI.	AM0050		AM0069	
	AM0089	AMS-III.AJ.	AM0098		AM0063		AM0081	
					AM0069		AM0098	
					AMS-III.J.		AM0114	
				AMS-III.O.		AM0115		
6 Construction					AMS-III.BH.		AMS-III.BH.	
7 Transport	AMS-I.M.	AM0031			AMS-III.S.			
	AMS-III.T.	AM0090			AMS-III.AY.			
	AMS-III.AK.	AM0101						
	AMS-III.AQ.	AM0110						
		AM0116						
		ACM0016						
		AMS-III.C.						
		AMS-III.S.						
		AMS-III.U.						
		AMS-III.AA.						
		AMS-III.AP.						
		AMS-III.AT.						
		AMS-III.BC.						
		AMS-III.BM.						
	AMS-III.BN.							
	AMS-III.BO.							
8 Mining/mineral production	ACM0003		ACM0008		ACM0005			
			AM0064		ACM0015			
			AMS-III.W.					

Table VI-2. Methodology Categorization other Sectors (continued)


Sectoral scope	Renewable energy	Energy Efficiency	GHG destruction	GHG emission avoidance	Fuel/Feedstock Switch	GHG removal by sinks	Displacement of a more-GHG-intensive output
9 Metal production	AM0082	AM0038		AM0030	AM0082		
		AM0059		AM0059			
		AM0066		AM0065			
		AM0068					
		AM0109					
		AMS-III.V.					
10 Fugitive emissions from fuel (solid, oil and gas)			AM0064	AM0023	AM0009	AM0074	AM0009
			ACM0008	AM0043	AM0037		AM0077
			AMS-III.W.	AMS-III.BI.	AM0077		
11 Fugitive emissions from production and consumption of halocarbons and SF ₆			AM0001	AM0035	AM0071		
			AM0078	AM0065	AM0092		
			AM0096	AM0079	AMS-III.AB.		
			AM0111	AM0092			
			AMS-III.X.	AM0119			
				AMS-III.X.			
12 Solvent use							
13 Waste handling and disposal	ACM0022	AMS-III.AJ.	AM0073	AM0057			
	AM0112	AMS-III.BA.	ACM0001	AM0080			
	AMS-III.BJ.		ACM0010	AM0083			
			ACM0014	AM0093			
			AMS-III.G.	AM0112			
			AMS-III.H.	ACM0022			
			AMS-III.AX.	AMS-III.E.			
				AMS-III.F.			
				AMS-III.I.			
				AMS-III.Y.			
			AMS-III.AF.				
			AMS-III.AO.				
			AMS-III.BE.				
14 Afforestation and reforestation						AR-AM0014	
						AR-ACM0003	
						AR-AMS0003	
						AR-AMS0007	
15 Agriculture			AM0073	AMS-III.A.	AMS-III.R.		
			ACM0010	AMS-III.AU.			
			AMS-III.D.	AMS-III.BE.			
			AMS-III.R.	AMS-III.BF.			
				AMS-III.BK.			

1.3. CATEGORIZATION BY APPLIED TECHNOLOGY TYPE/MEASURE (METHODOLOGY FAMILY TREES)

There have been distinct development phases of methodologies over time, leading to “families” when one methodology catalyzed the development of other methodologies.⁴ The figures below show the families of methodologies in form of family trees. They are designed as follows: Each methodology is denoted by a box showing its unique identification number. Methodologies that can be found in the same family tree deal with comparable technologies or measures.

- Methodologies for large-scale CDM project activities
- Methodologies for small-scale CDM project activities
- Methodologies for small and large-scale afforestation and reforestation (A/R) CDM project activities
- **AM0000** Methodologies that have a particular potential to directly improve the lives of women and children

Figure VII-1. Methodologies for renewable electricity



⁴ The concept of methodology families and family trees was initially adopted in the following guidebook: Understanding CDM Methodologies: A guidebook to CDM Rules and Procedures, written by Axel Michaelowa, Frédéric Gagnon-Lebrun, Daisuke Hayashi, Luis Salgado Flores, Philippe Crête and Mathias Krey, commissioned by the UK Department for Environment Food and Rural Affairs (© Crown Copyright 2007).

Figure VII-2. Methodologies for renewable energy (thermal or mechanical energy)




Figure VII-3. Methodologies for efficient or less-carbon-intensive fossil-fuel-fired power plants




Figure VII-4. Methodologies for fuel switch




Figure VII-5. Methodologies for biofuel




Figure VII-6. Methodologies for industrial energy efficiency

Steam systems	AM0017	AM0018		
Water pumping	AM0020	AMS-II.C.	AMS-II.P.	AMS-II.S.
Waste gas/energy recovery	AM0055	AM0058	AM0066	AM0095
	AM0098	AM0115	ACM0012	AMS-II.I.
	AMS-III.P.	AMS-III.Q.	AMS-III.BI.	
Metal	AM0038	AM0059	AM0066	AM0068
	AM0109	AMS-III.V.	AMS-III.BD.	
Boilers	AM0044	AM0056	ACM0023	AMS-II.D.
Chillers	AM0060			
Kilns	AM0066	AM0068	AM0106	AMS-III.Z.
District heating	AM0058			
Lighting	AMS-II.L.			
Agriculture	AMS-II.F.	AMS-II.P.	AMS-II.S.	AMS-III.A.
	AMS-III.BE.			
Efficient motor or motor appliances (pump, fans, compressor)	AMS-II.S.			
Other/various technologies	AM0088	AM0105	AM0114	AM0115
	AM0118	AMS-II.C.	AMS-II.D.	AMS-II.T.

Figure VII-7. Methodologies for household & building energy efficiency




Figure VII-8. Methodologies for gas flaring and gas leak reduction




Figure VII-9. Methodologies for feedstock switch




Figure VII-10. Methodologies for industrial gases




Figure VII-11. Methodologies for waste management and wastewater

Alternative treatment – composting	ACM0022	AMS-III.F.	AMS-III.AF.	
Alternative treatment – other technologies	AM0112	ACM0022	AMS-III.E.	AMS-III.L.
	AMS-III.R.	AMS-III.Y.	AMS-III.BJ.	
Alternative treatment – aerobic	AM0083	AM0093	AMS-III.AX.	
Landfill gas	ACM0001	AMS-III.G.		
Lagoons and biodigester – biogas	ACM0014	AMS-III.H.	AMS-III.AO.	
Manure and comparable animal waste	AM0073	ACM0010	AMS-III.D.	
Aerobic wastewater treatment	AM0080	AMS-III.I.		
Biogenic methane	AM0053	AM0069	AM0075	ACM0024
	AMS-III.O.	AMS-III.R.		

Figure VII-12. Methodologies for transport

Bus systems	AM0031	AMS-III.BN.		
Mass rapid transit systems	ACM0016	AMS-III.U.		
High speed rail systems	AM0101			
Energy efficiency	AMS-III.C.	AMS-III.AA.	AMS-III.AP.	AMS-III.BC.
Fuel switch	AMS-III.S.	AMS-III.AK.	AMS-III.AQ.	AMS-III.AY.
Transportation of cargo	AM0090	AMS-III.BO.		
Transportation of liquid fuels	AM0110			
Technology for improved driving	AMS-III.AT.	AMS-III.BC.		
Electric taxiing systems for airplanes	AM0116			
Solar power for domestic aircraft at-gate operations	AMS-I.M.			
Bicycles, e-bikes and Tricycles	AMS-III.BM.			

Figure VII-13. Other methodologies

Methane from mining activities	AM0064	ACM0008	AMS-III.W.	
Charcoal production	ACM0021	AMS-III.K.	AMS-III.BG.	
Electricity grid connection	AM0045	AM0104	AM0108	AMS-III.AW.
	AMS-III.BB.	AMS-III.BL.		
Efficient transmission and distribution	AM0067	AM0097	AMS-II.A.	
Afforestation and reforestation	AR-AM0014	AR-ACM0003	AR-AMS0003	AR-AMS0007
Agriculture	AMS-III.AU.	AMS-III.BF.	AMS-III.BK.	
Construction	AMS-III.BH.			

1.4. PROGRAMMES OF ACTIVITIES

THE CONCEPT

In the CDM, a Programme of Activities (PoA) is defined as a voluntary coordinated action by a private or public entity that coordinates and implements any policy/measure or stated goal, which leads to emission reductions or net removals that are additional to any that would occur in the absence of the PoA, via an unlimited number of Component Project Activities (CPAs).

A CPA is a single measure, or a set of interrelated measures under a PoA, to reduce emissions or result in net removals, applied within a designated area.

A PoA is therefore like an “umbrella program”, which is registered by the Board. Individual CPAs that comply with the eligibility criteria specified in the PoA Design Document (PoA-DD) of the registered PoA can be included under this “umbrella” and actually generate emission reductions or net removals to benefit from carbon revenues.

BENEFITS

Compared to regular CDM project activities, PoAs have many benefits, particularly for less developed countries or regions. The process for the inclusion of individual CPAs under a registered PoA is considerably simplified and results in lower costs as compared to registration of regular project activities.

The main benefits of PoAs are:

- Transaction costs, investment risks and uncertainties for individual CPA participants are reduced;
- PoAs are managed by a designated Coordinating and Managing Entity (CME). The CME is responsible for most of the CDM process. Therefore, direct engagement of individual project developers in the CDM process is not required;
- Access to the CDM is extended to smaller project activities which would not be viable as regular project activities;
- Emission reductions can be continuously scaled up after PoA registration, since an unlimited number of CPAs can be added at a later stage;
- Many technologies with high co-benefits, e.g. household technologies, are supported by PoAs;

- Specific regional policy goals can be effectively supported by accessing carbon finance through PoAs;
- Monitoring/Verification of parameter values may be undertaken on a collective basis by utilizing a sampling approach;
- No registration fee is due for each CPA included after registration. Registration fees are based on the expected average emission reductions or net removals of the “actual case” CPAs submitted at the PoA registration.

PoA IN THE CDM PIPELINE

At the time of preparation of this edition of the Booklet, there were some sectors that have a higher proportion of PoAs in the CDM pipeline than regular project activities: energy efficiency demand side (sectoral scope 3), waste (sectoral scope 13) and solar energy (sectoral scope 1). Furthermore, out of the registered PoAs, it was observed that some methodologies were commonly used, such as:

- **ACM0002** Grid-connected electricity generation from renewable sources
- **AMS-I.C.** Thermal energy production with or without electricity
- **AMS-I.D.** Grid connected renewable electricity generation
- **AMS-II.G.** Energy efficiency measures in thermal applications of non-renewable biomass
- **AMS-II.J.** Demand-side activities for efficient lighting technologies
- **AMS-III.R.** Methane recovery in agricultural activities at household/small farm

1.5. STANDARDIZED BASELINES

THE CONCEPT

A standardized baseline is a baseline established for a Party or a group of Parties to facilitate the calculation of emission reduction and removals and/or the determination of additionality for CDM project activities.

The following elements may be standardized by an approved standardized baseline:

- (a) Additionality; and/or
- (b) Baseline (baseline scenario and/or baseline emissions).

APPROVED STANDARDIZED BASELINES

Reference	Sector	Full View and History
ASB0002-2017	Charcoal production for consumption in households and SMEs	Fuel switch, technology switch and methane destruction in the charcoal sector of Uganda
ASB0011-2018	Waste	Landfill gas capture and flaring in the Dominican Republic
ASB0031	Power	Grid emission factor for Grenada
ASB0032	Cookstoves	Baseline woody biomass consumption for household cookstoves in Namibia
ASB0033	Cookstoves	Baseline woody biomass consumption for household cookstoves in Togo
ASB0034	Power	Grid emission factor for West African Power Pool
ASB0035	Cookstoves	Baseline woody biomass consumption for household cookstoves in Kenya
ASB0036	Cookstoves	Baseline woody biomass consumption for household cookstoves in Malawi
ASB0037-2017	Cookstoves	Baseline woody biomass consumption for household cookstoves in Mali
ASB0038-2018	Power	Grid emission factor for the electricity system of the Republic of Armenia for 2016
ASB0039-2018	Power	Grid emission factor for Mongolia's national electricity grid
ASB0040-2018	Power	Grid emission factor for the Southern African power pool
ASB0041-2018	Charcoal production	Fuel switch, technology switch and methane destruction in the charcoal sector of Rwanda
ASB0042-2019	Power	Honduran Grid Emission Factor
ASB0043-2019	Power	Jamaica Grid Emission Factor
ASB0044-2019	Cookstoves	Improved Institutional Cookstoves in Ethiopia
ASB0045-2019	Power	Grid emission factor of Guyana
ASB0046-2019	Power	Mauritius Grid Emission Factor
ASB0047-2020	Power	Grid emission factor for the Dominican Republic
AR-ASB0001	Forestry	Afforestation and reforestation project activities in Namibia

A standardized baseline can be a positive list containing names of emission reduction activities that, if implemented in a given country or region, would be considered automatically additional under certain conditions. It can also be a baseline emission factor to be used for the purpose of estimation of baseline emissions (e.g. grid emission factor).

BENEFITS

The objective of standardized baselines is to scale up the abatement of GHG emissions while ensuring environmental integrity by potentially:

- Reducing transaction costs;
- Enhancing transparency, objectivity and predictability;
- Facilitating access to the CDM, particularly with regard to underrepresented project types and regions;
- Simplifying measuring, reporting and verification.

1.6. METHODOLOGIES ADDRESSING SUPPRESSED DEMAND

THE CONCEPT

Under the CDM, suppressed demand is defined as a “Scenario where future anthropogenic emissions by sources are projected to rise above current levels, due to the specific circumstances of the host Party”.

The concept of suppressed demand is included in some CDM methodologies to consider situations where key services such as lighting and heating, water supply, waste disposal and transportation are only available in quantities that are insufficient to meet basic human needs before the implementation of a CDM project activity. This can be due to low income and lack of technologies/infrastructures or resources for its implementation. The minimum service level required to fulfil generally accepted basic human needs is expected to be reached in the future as host countries develop their economies, hence incomes increase, resources improve and technologies/infrastructures are implemented.

For example, before the start of a CDM project activity, households may be devoid of access to an electricity grid and have only a few kerosene lamps in place that are operated for short time periods, or just use candles. Or they may not have access to clean drinking water and therefore boil a small quantity of water manually.

The concept of suppressed demand is included in CDM methodologies for the baseline calculation specifying a minimum service level. For example, the daily amount of drinking water availability recommended by the World Health Organization is used as baseline water provision volume for the methodology [AM0086](#) for water purification. In other methodologies such as [AMS-I.A.](#) and [AMS-I.L.](#), suppressed demand is taken into account by applying default emission factors for high emission technologies (e.g. kerosene lamps) assumed to be used due to the suppressed demand situation. In the methodology [ACM0022](#), a default emission factor for a shallow landfill can be used in the absence of an organized waste collection and disposal system. If suppressed demand were not included, baseline emissions would be so small that project activities would become unattractive under the CDM due to the small number of CERs generated.

Methodologies addressing the issue of suppressed demand are labelled with a specific icon “Suppressed demand”, put on the top right of the summary sheet.

BENEFIT

The consideration of suppressed demand allows host countries to improve life conditions by implementing CDM project activities.

Another benefit is the reduction of transaction costs for CDM project developers. Detailed data gathering to establish parameter values for baseline emission calculations may not be necessary as CDM methodologies that address the issue of suppressed demand usually include default values that are representative for the specific service level, such as the amount of kerosene used for lighting.

METHODOLOGIES ADDRESSING SUPPRESSED DEMAND

AM0086	Installation of zero energy water purifier for safe drinking water application
AM0091	Energy efficiency technologies and fuel switching in new and existing buildings
ACM0022	Alternative waste treatment processes
AMS-I.A.	Electricity generation by the user
AMS-I.B.	Mechanical energy for the user with or without electrical energy
AMS-I.L.	Electrification of rural communities using renewable energy
AMS-II.R.	Energy efficiency space heating measures for residential buildings
AMS-III.F.	Avoidance of methane emissions through composting
AMS-III.AR.	Substituting fossil fuel based lighting with LED/CFL lighting systems
AMS-III.AV.	Low greenhouse gas emitting safe drinking water production systems
AMS-III.BB.	Electrification of communities through grid extension or construction of new mini-grids
AMS-III.BL.	Integrated methodology for electrification of communities

1.7. METHODOLOGIES HAVING BENEFITS FOR WOMEN AND CHILDREN

The dual goals of the CDM are to promote sustainable development and reduce GHG emissions or enhance GHG removals. The outcomes of a CDM project activity should therefore directly or indirectly improve the living conditions of all people.

What has been highlighted in the booklet is that some methodologies have a particular potential to directly improve the lives of women and children effected by the project activity. These methodologies are labelled with a specific icon “Women and children”, put on the top right of the summary sheet.

The criteria used to label these methodologies as having particular benefits for women and children are the potential to:

- increase access to affordable household fittings and appliances (e.g. light globes, refrigerators);
- optimize tasks typically undertaken by women or children (e.g. fuel wood gathering, cooking, water collection);
- improve the living environment of women and children (e.g. better air quality, heating, lighting); or
- utilize community-based participatory approaches, that give women and children an opportunity to learn about the projects and contribute to decision making processes.

In the case of A/R CDM project activities, this icon is also indicated for project activities that generate new local employment opportunities because these positions are often filled by women.

It is important to note that a methodology that has not been labelled with this icon will not impact adversely on women and children.

The following publication, “CDM and Women”, accessible on the CDM website, further highlights some women-friendly methodologies and aims to encourage project developers to consider the CDM when planning projects to help empower and improve women’s lives.

1.8. METHODOLOGIES FOR URBAN SECTORS

1.8.1. CDM METHODOLOGIES APPLICABLE TO CITY-BASED MITIGATION PROGRAMMES

1. In urban centres, there are many opportunities for reducing greenhouse gas (GHG) emissions. City-based mitigation programmes may target various sectors, including buildings, transport, energy supply and demand, water supply and treatment, and waste management, and may contain a range of measures in each sector aimed at reducing GHG emissions.
2. Many of these interventions could result in GHG emission reductions that are additional and eligible under the CDM. However, these measures may be dispersed and the resulting emission reduction from each individual measure relatively low. On the other hand, if these measures are implemented together at a community or city level, they could potentially generate significant emission reductions when the individual reductions are summed together.
3. Mitigation initiatives may also be implemented in a phased manner, in which case they may be better suited to be the structure of a PoA because that would allow a stage-wise implementation of the projects and an expansion of the mitigation measures during the PoA period (i.e. 28 years).
4. The CDM framework offers a wide range of methodologies and tools to estimate the emission reduction effect of these projects. A city-wide mitigation programme developed under the CDM may apply these methodologies and take into account any cross effects that may occur as a result of their application.
5. The tables below provide a non-exhaustive list of the methodologies applicable to each sector: Urban Transport (table 1); Household & Building Energy Generation and Energy Efficiency (table 2); and Waste Management and Wastewater (table 3).

TABLE 1. LIST OF CDM METHODOLOGIES RELEVANT TO URBAN TRANSPORT

Measure	CDM methodology
Bicycles, tricycles, e-bikes or e-tricycles	AMS-III.BM. Lightweight two and three wheeled personal transportation
Bus systems	AM0031. Bus rapid transit projects
Mass rapid transit systems	ACM0016. Mass Rapid Transit Projects AMS-III.U. Cable Cars for Mass Rapid Transit System (MRTS)
Energy efficiency	AMS-III.C. Emission reductions by electric and hybrid vehicles AMS-III.AA. Transportation Energy Efficiency Activities using Retrofit Technologies AMS-III.AP. Transport energy efficiency activities using post - fit Idling Stop device AMS-III.BC. Emission reductions through improved efficiency of vehicle fleets
Fuel switch	AMS-III.S. Introduction of low-emission vehicles/technologies to commercial vehicle fleets AMS-III.T. Plant oil production and use for transport applications AMS-III.AK. Biodiesel production and use for transport applications AMS-III.AQ. Introduction of Bio-CNG in transportation applications AMS-III.AY. Introduction of LNG buses to existing and new bus routes
Transportation of cargo	AM0090. Modal shift in transportation of cargo from road transportation to water or rail transportation
Transportation of liquid fuels	AM0110. Modal shift in transportation of liquid fuels
Technology for improved driving	AMS-III.AT. Transportation energy efficiency activities installing digital tachograph systems to commercial freight transport fleets AMS-III.BC. Emission reductions through improved efficiency of vehicle fleets

TABLE 2. LIST OF CDM METHODOLOGIES RELEVANT TO URBAN HOUSEHOLD & BUILDING ENERGY GENERATION AND ENERGY EFFICIENCY

Measure	CDM methodology
Renewable electricity (captive power)	AMS-I.F. Renewable electricity generation for captive use and mini-grid
Thermal energy for cooking	AMS-I.E. Switch from non-renewable biomass for thermal applications by the user AMS-I.I. Biogas/biomass thermal applications for households/small users AMS-I.K. Solar cookers for households AMS-II.G. Energy efficiency measures in thermal applications of non-renewable biomass
Solar water heating	AMS-I.J. Solar water heating systems (SWH)
Energy efficiency in water delivery	AM0020. Baseline methodology for water pumping efficiency improvements AMS-II.C. Demand-side energy efficiency activities for specific technologies AMS-II.S. Energy efficiency in motor systems
Water purifier	AM0086. Distribution of zero energy water purification systems for safe drinking water AMS-III.AV. Low greenhouse gas emitting safe drinking water production systems
Water saving	AMS-II.M. Demand-side energy efficiency activities for installation of low-flow hot water savings devices

TABLE 2. (CONT.)

Refrigerators/chillers	AM0060 AMS-II.C. AMS-II.O. AMS-III.X. AM0120	Power saving through replacement by energy efficient chillers Demand-side energy efficiency activities for specific technologies Dissemination of energy efficient household appliances Energy Efficiency and HFC-134a Recovery in Residential Refrigerators Energy-efficient refrigerators and air-conditioners
Lighting	AM0046 AM0113 AMS-II.C. AMS-II.J. AMS-II.N. AMS-III.AR.	Distribution of efficient light bulbs to households Distribution of compact fluorescent lamps (CFL) and light-emitting diode (LED) lamps to households Demand-side energy efficiency activities for specific technologies Demand-side activities for efficient lighting technologies Demand-side energy efficiency activities for installation of energy efficient lighting and/or controls in buildings Substituting fossil fuel-based lighting with LED/CFL lighting systems
Street lighting	AMS-II.L.	Demand-side activities for efficient outdoor and street lighting technologies
Whole building	AM0091 AMS-II.E. AMS-II.K. AMS-II.Q. AMS-II.R. AMS-III.AE.	Energy efficiency technologies and fuel switching in new and existing buildings Energy efficiency and fuel switching measures for buildings Installation of co-generation or tri-generation systems supplying energy to commercial building Energy efficiency and/or energy supply projects in commercial buildings Energy efficiency space heating measures for residential buildings Energy efficiency and renewable energy measures in new residential buildings
District heating/cooling	AM0044 AM0058 AM0072 AM0117 AMS-II.B.	Energy efficiency improvement projects - boiler rehabilitation or replacement in industrial and district heating sectors Introduction of a district heating system Fossil Fuel Displacement by Geothermal Resources for Space Heating Introduction of a new district cooling system Supply side energy efficiency improvements – generation
Others/various technologies	AMS-II.C.	Demand-side energy efficiency activities for specific technologies

TABLE 3. LIST OF METHODOLOGIES RELEVANT TO URBAN WASTE MANAGEMENT AND WASTEWATER

Measure	CDM methodology	
Alternative waste –composting	ACM0022 AMS-III.F. AMS-III.AF.	Alternative waste treatment processes Avoidance of methane emissions through composting Avoidance of methane emissions through excavating and composting of partially decayed municipal solid waste (MSW)
Alternative waste treatment – other technologies	ACM0022 AM0112 AMS-III.E. AMS-III.L. AMS-III.Y. AMS-III.BJ.	Alternative waste treatment processes Less carbon intensive power generation through continuous reductive distillation of waste Avoidance of methane production from decay of biomass through controlled combustion, gasification or mechanical/thermal treatment Avoidance of methane production from biomass decay through controlled pyrolysis Methane avoidance through separation of solids from wastewater or manure treatment systems Destruction of hazardous waste using plasma technology including energy recovery
Alternative waste treatment – aerobic	AM0083 AM0093 AMS-III.AX.	Avoidance of landfill gas emissions by in-situ aeration of landfills Avoidance of landfill gas emissions by passive aeration of landfills Methane oxidation layer (MOL) for solid waste disposal sites
Landfill gas recovery	ACM0001 AMS-III.G.	Flaring or use of landfill gas Landfill methane recovery
Lagoons and biodigester – biogas	ACM0014 AMS-III.H. AMS-III.AO.	Treatment of wastewater Methane recovery in wastewater treatment Methane recovery through controlled anaerobic digestion
Manure treatment	AM0073 ACM0010 AMS-III.D. AMS-III.R.	GHG emission reductions through multi-site manure collection and treatment in a central plant GHG emission reductions from manure management systems Methane recovery in animal manure management systems Methane recovery in agricultural activities at household/small farm level
Aerobic wastewater treatment	AM0080 AMS-III.I.	Mitigation of greenhouse gases emissions with treatment of wastewater in aerobic wastewater treatment plants Avoidance of methane production in wastewater treatment through replacement of anaerobic systems by aerobic systems
Utilization of biogenic methane	ACM0024 AM0053 AM0069 AM0075 AMS-III.O.	Natural gas substitution by biogenic methane produced from the anaerobic digestion of organic waste Biogenic methane injection to a natural gas distribution grid Biogenic methane use as feedstock and fuel for town gas production Methodology for collection, processing and supply of biogas to end-users for production of heat Hydrogen production using methane extracted from biogas
Recycling	AMS-III-AJ. AMS-III-BA.	Recovery and recycling of materials from solid wastes Recovery and recycling of materials from E-waste

1.8.2. STANDARDIZATION OF PARAMETERS

6. In order to determine the parameter values required to estimate baseline, project and leakage emissions, the application of the methodologies identified in Section 1.8.1. may require data collection and surveys to be undertaken, which can be complex and time consuming. In order to simplify this process, a standardized baseline process has been set up, whereby a host country Designated National Authority (DNA) may submit proposals for

standardized baselines. A wide range of parameters in these methodologies could be standardized by taking a region/country-specific approach for a sector. This could facilitate the cost-effectiveness and scalability of CDM PoAs in the urban sector.

7. The table below includes examples of parameters that could potentially be standardized, in accordance with the “Procedure for the development, revision, clarification and update of standardized baselines”.

TABLE 4. EXAMPLES OF PARAMETERS THAT MAY BE STANDARDIZED

Sector/Measure	CDM methodology / tool	Parameters	Possible data sources for standardization of parameters
Electricity generation	TOOL07 Tool to calculate the emission factor for an electricity system	CO ₂ emission factor of the electricity system	Official report/statistics
Energy-efficient refrigerators and air-conditioners	TOOL29 Determination of standardized baselines for energy-efficient refrigerators and air-conditioners	Baseline energy consumption	See requirements in TOOL29
Energy efficiency measures in buildings	TOOL31 Determination of standardized baselines for energy efficiency measures in residential, commercial and institutional buildings	CO ₂ emissions per m ² for different building categories	Surveys
Energy-efficient Lighting	AMS-II.C. Demand-side energy efficiency activities for specific technologies AMS-II.J. Demand-side activities for efficient lighting technologies	Utilization hours	Surveys, peer-reviewed literature, official reports/statistics, etc.
Solid Waste	AMS-III.G. ACM0001 TOOL04 Landfill methane recovery Flaring or use of landfill gas Emissions from solid waste disposal sites	Waste composition	Test results, peer-reviewed literature, official reports/statistics, etc.
		Legal requirements to destroy methane as part of regular operation of landfills	Local regulations/legislation
Cooking	AMS-I.E. Switch from non-renewable biomass for thermal applications by the user AMS-II.G. Energy efficiency measures in thermal applications of non-renewable biomass	Baseline woody biomass consumption	Surveys, peer-reviewed literature, official reports/statistics, etc.
	TOOL30 Calculation of the fraction of non-renewable biomass	Fraction of non-renewable biomass	See requirements in TOOL30
Transport	ACM0016 AM0031 TOOL18 Mass Rapid Transit Projects Bus rapid transit projects Baseline emissions for modal shift measures in urban passenger transport	Specific CO ₂ emissions per passenger-kilometer transported in the baseline	Surveys, official reports/statistics, etc.
	AMS-III.AY. Introduction of LNG buses to existing and new bus routes	Specific fuel consumption of baseline buses	Official report/statistics
	AMS-III.BM. Lightweight two and three wheeled personal transportation	CO ₂ emission factor per passenger-kilometer corresponding to public transportation-mix in the city	Peer-reviewed literature, official reports/statistics

1.9. INTRODUCTION TO METHODOLOGY SUMMARY SHEETS

The methodology summary sheets are distinguished as being for large-scale and small-scale CDM project activities, as well as large-scale and small-scale A/R CDM project activities. Each methodology summary sheet has the sections as follows:

TYPICAL PROJECT(S) APPLICABLE TO THE METHODOLOGY

Project activities for which the methodology is applicable are described. Practical examples are mentioned for better understanding of the purpose of the specific methodology.

TYPE(S) OF GHG EMISSION MITIGATION ACTION

This refers to the type of mitigation activity presented in the methodology categorization table (section 1.2. above). The type of mitigation action, such as fuel switch or energy efficiency, is briefly described.

IMPORTANT CONDITIONS UNDER WHICH THE METHODOLOGY IS APPLICABLE

Methodologies are only applicable under particular conditions and the most relevant conditions are listed in this section. However, not all conditions can be listed and it is important to consult the full text of each methodology.

IMPORTANT PARAMETERS THAT NEED TO BE DETERMINED OR MONITORED

In order to calculate emission reductions or net removals of a project activity, certain parameters have to be determined at the beginning when the project activity is validated and various parameters have to be monitored during the operation of the project activity. Therefore this section is divided into parameters “at validation” and parameters “monitored”. In addition, some methodologies require checking of specific conditions or parameters to prove that applicability conditions are met.

VISUAL DESCRIPTION OF BASELINE AND PROJECT SCENARIOS

An important feature of the booklet is the use of diagrams made of icons to illustrate the baseline and project scenarios. These diagrams enable readers to quickly grasp the scope of the methodology.



The baseline scenario represents the situation that would occur in the absence of the project activity. The project scenario refers to the situation that is achieved by the implementation of the project activity. Complex scenarios cannot be displayed by a simplified diagram. Therefore, the simplified diagrams focus on the main activity that results in emission reductions or net removals. The diagrams do not replace the necessity to consult the full methodology text.

A list of icons used in the booklet is given in chapter II. Some exemplifications of diagrams are presented below.

EXEMPLIFICATION OF DIAGRAMS

	<p>Full intensity in the baseline scenario is depicted with bold colour.</p>
	<p>Reduced, decreased intensity in the project activity is depicted with pale colour.</p>
	<p>Avoidance and replacement is depicted with crossed icons.</p>
	<p>A carbon-intensive fossil fuel is used in the baseline scenario.</p>
	<p>Instead of the carbon-intensive fossil fuel, a less-carbon-intensive fossil fuel is used due to the project activity.</p>
	<p>A less-efficient technology is used in the baseline scenario.</p>
	<p>A more-efficient technology is used due to the project activity.</p>
	<p>Activities in the baseline scenario result in GHG emissions.</p>
	<p>Less GHG emissions are occurring due to the project activity.</p>

EXEMPLIFICATION OF DIAGRAMS

	<p>Activities in the baseline scenario result in GHG emissions.</p>
	<p>These GHG emissions are avoided due to the project activity.</p>
 <pre> graph LR FF[Fossil fuel] --> Grid[Grid] FF --> PP[Power plant] Grid --> E[Electricity] PP --> E style Grid stroke-dasharray: 5 5 style PP stroke-dasharray: 5 5 style E stroke-dasharray: 5 5 </pre>	<p>Electricity is either produced by power plants connected to the grid or a captive power plant using fossil fuel.</p>
 <pre> graph LR B[Biomass] --> D[Disposal] B --> BU[Burning] style D stroke-dasharray: 5 5 style BU stroke-dasharray: 5 5 </pre>	<p>Biomass is either left to decay or burned in an uncontrolled manner.</p>
<p>Baseline situation</p>	<p>The project boundary encompasses all emissions of GHG under the control of the project participants that are significant and reasonably attributable to the CDM project activity. Due to the simplification of the diagrams, please consult each methodology for the detailed delineation of the project boundary.</p>
<p>Project situation</p>	



CDM Methodology Booklet

Chapter II

ICONS, ABBREVIATIONS AND GLOSSARY

2.1. ICONS USED IN THIS BOOKLET

	<p>Afforestation/reforestation areas Small afforestation/reforestation areas.</p>		<p>Car Any kind of car-based transport.</p>
	<p>Agricultural activity Production of crops or livestock.</p>		<p>Catalysis Catalysis of substances (i.e. GHGs) in order to convert them into substances with less or no GWP.</p>
	<p>Agricultural land Land with crops on solid ground. Also plantations not meeting definition of forest.</p>		<p>Cement Products such as clinker, cement, lime or bricks.</p>
	<p>Air</p>		<p>Charcoal production Charcoal production activity.</p>
	<p>Airplane Any kind of airplane-based transport.</p>		<p>Commercial Consumer Commercial consumer, e.g. industrial or institutional consumer.</p>
	<p>Animal grazing Grazing livestock in pasture land or any other land.</p>		<p>Consumer Residential or commercial consumer.</p>
	<p>Bicycle Bicycles, e-bikes and Tricycles</p>		<p>Contaminated land May indicate chemically polluted land (e.g. mine spoils) or naturally hostile land (e.g. naturally occurring salinity or alkalinity). The specific type is shown in the icon caption.</p>
	<p>Biomass Unless stated otherwise, renewable biomass is implied. Types of biomass include residues, plant oil, wood.</p>		<p>Controlled burning Any kind of combustion or decomposition in a controlled manner to dispose combustible substances. Also combustion to produce feedstock such as CO₂ or heat.</p>
	<p>Buildings Any kind of building.</p>		<p>Cooling</p>
	<p>Burning Uncontrolled burning of biomass, flaring or venting of waste gas.</p>		<p>Data centre</p>
	<p>Bus Any kind of bus-based transport.</p>		<p>Disposal Any kind of disposal. E.g. landfilling.</p>
	<p>Bus route Any route where buses drive, from the origin to the final stop.</p>		

 <p>Drinking water</p>	<p>Drinking water</p>	 <p>Fuelwood</p>	<p>Fuelwood collection Collecting fuelwood without full-tree harvest.</p>
 <p>Electricity</p>	<p>Electricity</p>	 <p>Gas</p>	<p>Gas Any kind of combustible gas. E.g. natural gas, methane, biogas, landfill gas.</p>
 <p>Electricity</p>	<p>Electricity distribution grid This icon is used to depict an electricity distribution system and is used when generated electricity is/ has to be supplied to the electricity grid or if the project activity occurs directly within the electricity distribution system.</p>	 <p>Gas</p>	<p>Gas distribution system Any kind of gas distribution system. E.g. natural gas pipeline system.</p>
 <p>Grid</p>	<p>Electricity grid This icon is used to depict all (fossil-fuel-fired) power plants connected and providing electricity to the grid (e.g. national or regional grid).</p>	 <p>Grassland</p>	<p>Grassland Grass on ground without cracks.</p>
 <p>Energy</p>	<p>Energy Any kind of energy. This icon is used, if different types of energy are depicted. E.g. electricity, heat, steam or mechanical energy.</p>	 <p>GHG</p>	<p>Greenhouse gas emissions Emissions of greenhouse gases, i.e.: Carbon dioxide (CO₂) Methane (CH₄) Nitrous oxide (N₂O) Hydrofluorocarbons (HFCs) Perfluorocarbons (PFCs) Sulphur hexafluoride (SF₆). Where applicable, the specific GHG is presented in the icon caption.</p>
 <p>Energy</p>	<p>Energy distribution system Any kind of energy distribution system. E.g. electricity grid or heat distribution system.</p>	 <p>Harvesting</p>	<p>Harvesting Harvesting activity.</p>
 <p>Energy</p>	<p>Energy generation Any kind of plant, facility or equipment used to generate energy. This icon represents any co- or tri-generation system as well as systems to provide mechanical energy. The icon is also used, if either electricity or heat are produced.</p>	 <p>Heat</p>	<p>Heat Any kind of thermal energy. E.g. steam, hot air, hot water.</p>
 <p>Exploitation</p>	<p>Exploitation Any kind of exploitation activity such as mining activities, oil and gas production.</p>	 <p>Heat</p>	<p>Heat distribution system Any kind of heat distribution system. E.g. steam system, district heating system.</p>
 <p>Biomass</p>	<p>Fixation of CO₂ in Biomass Fixation of atmospheric CO₂ from the atmosphere in biomass through the process of photosynthesis</p>	 <p>Heat</p>	<p>Heat generation Any kind of plant, facility or equipment used to generate heat. This includes fossil-fuel-fired boilers to generate steam, incinerators, but also small applications such as radiators, cookers and ovens.</p>
 <p>Fossil fuel</p>	<p>Fossil fuel Any kind of fossil fuel used for combustion. Can be gaseous, liquid or solid. E.g. natural gas, fuel oil, coal.</p>	 <p>Hybrid mini-grid</p>	<p>Hybrid mini-grid</p>

 <p>Material</p>	<p>Input or output material Any kind of material. Can be gaseous, liquid or solid. E.g. raw materials, substances used for production, products such as plastics. This icon is also used if a GHG such as CO₂ is used as feedstock.</p>	 <p>Planting</p>	<p>Planting or seeding Afforestation/reforestation activity by planting, seeding or other measures.</p>
 <p>Application</p>	<p>Land application The material (e.g. sludge) is applied to land.</p>	 <p>Power plant</p>	<p>Power plant Any kind of plant, facility or equipment used to produce electricity. This includes fossil-fuel-fired power plants, renewable power plants such as hydro power plants, but also (small) photovoltaic systems.</p>
 <p>Fossil Fuel</p>	<p>Less-carbon-intensive fossil fuel Any kind of less-carbon-intensive fossil fuel used for combustion. E.g. natural gas.</p>	 <p>Production</p>	<p>Production The output of the production can be specified in the icon caption. E.g. aluminium, iron, cement, refrigerators.</p>
 <p>Lighting</p>	<p>Lighting Any kind of lighting equipment such as incandescent light bulbs, compact florescent lamps.</p>	 <p>HFC Refrigerant</p>	<p>Refrigerant Refrigerant that contains HFC.</p>
 <p>Livestock</p>	<p>Livestock Any kind of livestock.</p>	 <p>Refrigerator</p>	<p>Refrigerators and chillers Any kind of refrigerator or chiller.</p>
 <p>Losses</p>	<p>Losses Any kind of losses from leaks in pipe systems and other distribution systems.</p>	 <p>Release</p>	<p>Release Any kind of release of substances or energy without using the substance or the energy content of the substances.</p>
 <p>Manure</p>	<p>Manure Manure from livestock.</p>	 <p>Renewables</p>	<p>Renewables</p>
 <p>Mechanical</p>	<p>Mechanical energy</p>	 <p>Consumer</p>	<p>Residential Consumer Residential consumer, e.g. households.</p>
 <p>Milk</p>	<p>Milk production</p>	 <p>Sand/Barren</p>	<p>Sand dunes or barren land Sand dunes or barren land without vegetation.</p>
 <p>Mini grid</p>	<p>Mini grid</p>	 <p>Seeds</p>	<p>Seeds Any type of seeds.</p>
 <p>Motorcycle</p>	<p>Motorcycle Any kind of motorcycle-based transport.</p>	 <p>Settlement</p>	<p>Settlement land Land within settlements (parks, lawns, etc.) or along infrastructure (roads, powerlines, railways, waterways, etc.).</p>
 <p>Oil</p>	<p>Oil Oil of fossil origin. E.g. crude oil.</p>		

	<p>Ship Any kind of transport based on ships or barges.</p>		<p>Waste Any kind of waste. Can be gaseous, liquid or solid. The specific substance can be specified in the icon caption.</p>
	<p>Shrub and/or single tree vegetation Non-forest woody vegetation: shrubs and single trees on “solid” ground (without cracks).</p>		<p>Water Any kind of water. E.g. drinking water, waste water.</p>
	<p>Suppressed demand Methodologies that address the issue of suppressed demand.</p>		<p>Wetland Lands with wet to moist soil, e.g. swamp or peatland.</p>
	<p>Technology Any kind of technology, equipment, appliance.</p>		<p>Women and children Project activities using these methodologies have a particular potential to directly improve the lives of women and children.</p>
	<p>Train Any kind of train-based transport.</p>		
	<p>Transformer</p>		
	<p>Transmission line</p>		
	<p>Treatment Any kind of treatment of waste or materials, e.g. production of RDF from municipal waste.</p>		
	<p>Treatment Any kind of treatment of wastewater or manure, e.g. lagoons, pits, aerobic treatment systems.</p>		
	<p>Truck Any kind of truck-based transport.</p>		
	<p>Upgrade Any type of upgrade. Can be retrofitting of existing equipment or installation of more-advanced technology to displace existing less-advanced equipment. E.g. replacement of incandescent light bulbs by compact fluorescent lamps. Also applicable to upgrade agricultural activity processes.</p>		

2.2. ABBREVIATIONS USED IN THIS BOOKLET

%	Per cent
°C	Degree Celsius
A/R	Afforestation/ Reforestation
ABS	Acrylonitrile Butadiene Styrene
ACM	Approved Consolidated Methodology
AL	Aluminium
AM	Approved Methodology
AMC	Alternative Raw Materials That Do Not Contain Carbonates
AMS	Approved Methodology for Small-scale CDM project activities
AOG	Ammonia-Plant Off Gas
AOR	Ammonia Oxidation Reactor
APU	Auxiliary Power Unit
BEMS	Building Energy Management Systems
Board	CDM Executive Board (also referred to as EB)
BRT	Bus Rapid Transit
BSG	Baseline Sample Group
C ₂ F ₆	Hexafluoroethane
C ₃ F ₈	Octafluoropropane
c-C ₄ F ₈	Octafluorocyclobutane
CACO ₃	Calcium Carbonate
CCHP	Trigeneration (Combined Cooling, Heating and Power generation)
CDD	Cooling Degree Days
CDM	Clean Development Mechanism
CDR	Carbon Dioxide Recovery
CDRI	Cold Direct Reduced Iron
CER	Certified Emission Reduction
(CF ₃ CF ₂ C(O))	Perfluoro-2-methyl-3-pentanone
CF(CF ₃) ₂	
CF ₄	Tetrafluoromethane
CFC	Chlorofluorocarbons
CFL	Compact Fluorescent Lamps
CH ₂ F ₂	Difluoromethane
CH ₃ F	Fluoromethane
CH ₄	Methane
CHF ₃	Fluoroform
CHP	Cogeneration (Combined Heat and Power generation)
Cl ₂	Chlorine Gas
CM	Combined Margin
CNG	Compressed Natural Gas
CO ₂	Carbon Dioxide
COD	Chemical Oxygen Demand
COG	Coke Oven Gas
COP	Coefficient of Performance
CPA	CDM Project Activity
CRD	Continuous Reductive Distillation

CSP	Concentrating Solar Power
CVD	Chemical Vapour Deposition
CWPB	Centre Worked Pre-Baked
DC	Direct Current
DME	Dimethyl ether
DMI	Dry Matter Intake
DOE	Designated Operational Entity
DOM	Dead Organic Matter
DPM	Dynamic Power Management
DRI	Direct Reduced Iron
DSS	Decision Support System
DWW	Dewatered Wastewater
EAF	Electric Arc Furnace
ELT	End of Life Tyres
FF	Frost Free
fNRB	Fraction of Non-Renewable Biomass
GE	Gross Energy
GHG	Greenhouse Gas
GIEE	Gas Insulated Electrical Equipment
GIS	Geographic Information System
GPF	Gas Processing Facilities
GWh	Gigawatthours
GWP	Global Warming Potential
H ₂	Hydrogen
HCl	Hydrogen Chloride
HDD	Heating Degree Days
HDPE	High Density Polyethylene
HDRI	Hot Direct Reduced Iron
HDS	Hydrodesulphurization Process
HFC	Hydrofluorocarbon
HIPS	High Impact Polystyrene
HPO (process)	Hydroylamin-Phosphat-Oxim (process)
HRSG	Heat Recovery Steam Generator
HSR	High Speed Rail
HSS	Horizontal Stud Soederberg
HVAC	Heating, Ventilation and Air Conditioning
HVDC	High Voltage Direct Current
IAI	International Aluminium Institute
ICL	Incandescent Lamps
IEC	International Electronic Commission
IG	Intermediate Gas
IPCC	Intergovernmental Panel on Climate Change
ISCC	Integrated Solar Combined Cycle
ISO	International Organization for Standardization
ITS	Intelligent Transportation Systems
kg	Kilogramme
km	Kilometre
kV	Kilovolt
kWh	Kilowatt Hour
kt	Kiloton
LCD	Liquid Crystal Display
LDPE	Low Density Polyethylene
LED	Light-Emitting Diode
LFG	Landfill gas

LNG	Liquefied Natural Gas
LHV	Lower Heating Value
LPG	Liquefied Petroleum Gas
LSC	Large-scale
m	Metre
m ²	Square metre
m ³	Cubic metre
MgCO ₃	Magnesium Carbonate
mm	Millimetre
MOL	Methane Oxidation Layer
MRG	Methane Rich Gas
MRTS	Mass Rapid Transit System
MSW	Municipal Solid Waste
MW	Megawatt
N ₂ O	Nitrous Oxide
NCV	Net Calorific Value
NUE	Nitrogen Use Efficient
ODP	Ozone Depleting Potential
PD	Project Devices
PDD	Project Design Document
PET	Polyethylene Terephthalate
PFC	Perfluorocarbon
PFPB	Point Feeder Pre-Baked
pkm	Passenger-Kilometer
PoA	Programme of Activities
PoA-DD	Programme of Activities Design Document
PP	Polypropylene
PSG	Project Sample Group
P-U	Power-Voltage (characteristic curve)
PUF	Polyurethane Foam
PV	Photovoltaic
RDF	Refuse-Derived Fuel
RHF	Rotary Hearth Furnace
SB	Stabilized Biomass
SDW	Safe Drinking Water
SF ₆	Sulphur Hexafluoride
SiMn	Silicomanganese
SME	Small and Medium Enterprises
SMMEs	Small, Medium and Micro Enterprises
SO ₂	Sulphur Dioxide
SOC	Soil Organic Carbon
SSC	Small-scale
STG	Steam Turbine Generator
SWDS	Solid Waste Disposal Site
SWH	Solar Water Heating
SWPB	Side Worked Pre-Baked
TG	Tailgas
TOC	Total Organic Carbon
TPA	Total Project Area
VAM	Ventilation Air Methane
VSS	Vertical Stud Soederberg
W	Watt

2.3. GLOSSARY

Explanations on general terminologies used in this booklet are listed below. More definitions are given in the Glossary of CDM terms. For terminologies specific to a certain methodology, please refer to the definition section of the respective methodology available at <https://cdm.unfccc.int/methodologies/index.html>.

Above-ground biomass⁵	All living biomass above the soil including stem, stump, branches, bark, seeds, and foliage as well as herbaceous vegetation.
Additional/Additionality	<p>For a CDM project activity (non-A/R) or CPA (non-A/R), the effect of the CDM project activity or CPA to reduce anthropogenic GHG emissions below the level that would have occurred in the absence of the CDM project activity or CPA; or</p> <p>For an A/R or SSC A/R CDM project activity or CPA (A/R), the effect of the A/R or SSC A/R CDM project activity or CPA (A/R) to increase actual net GHG removals by sinks above the sum of the changes in carbon stocks in the carbon pools within the project boundary that would have occurred in the absence of the A/R or SSC A/R CDM project activity or CPA (A/R).</p> <p>Whether or not a CDM project activity or CPA is additional is determined in accordance with the CDM rules and requirements.</p>
Afforestation	The direct human-induced conversion of land that has not been forested for a period of at least 50 years to forested land through planting, seeding and/or the human-induced promotion of natural seed sources.
Agroforestry	Growing of both trees and agricultural / horticultural crops on the same piece of land.
Allometric biomass equations	Regression equations calculating biomass based on measured parameters of a tree (or shrub), for example, quantifying the relationship between above-ground tree biomass and the diameter at breast height and tree height of a specific tree species.
Baseline scenario	<p>For a CDM project activity (non-A/R) or CPA (non-A/R), the scenario for a CDM project activity or CPA that reasonably represents the anthropogenic emissions by sources of GHG that would occur in the absence of the proposed CDM project activity or CPA.</p> <p>For an A/R or SSC A/R CDM project activity or CPA (A/R), the scenario for an A/R or SSC A/R CDM project activity or CPA (A/R) that reasonably represents the sum of the changes in carbon stocks in the carbon pools within the project boundary that would occur in the absence of the A/R or SSC A/R CDM project activity or CPA (A/R).</p>
Below-ground biomass⁵	All living biomass of roots. Fine roots of less than (suggested) 2 mm diameter are often excluded because these often cannot be distinguished empirically from soil organic matter or litter.
Biomass expansion factor	Ratio of total stand biomass to stand (merchantable) volume (e.g. as derived from forest yield tables).
Biomass	<p>Non-fossilized and biodegradable organic material originating from plants, animals and micro-organisms, including:</p> <ul style="list-style-type: none"> (a) Biomass residue; (b) The non-fossilized and biodegradable organic fractions of industrial and municipal wastes; and (c) The gases and liquids recovered from the decomposition of non-fossilized and biodegradable organic material.
Biomass, non-renewable	Biomass not fulfilling the conditions of renewable biomass is considered as non-renewable.

Biomass,⁶ renewable	<p>Biomass which meets one of the following conditions:</p> <p>(a) The biomass originates from land areas that are forests where:</p> <ul style="list-style-type: none"> (i) The land area remains a forest; (ii) Sustainable management practices are undertaken on these land areas to ensure, in particular, that the level of carbon stocks on these land areas does not systematically decrease over time (carbon stocks may temporarily decrease due to harvesting); and (iii) Any national or regional forestry and nature conservation regulations are complied with; <p>(b) The biomass is woody biomass and originates from croplands and/or grasslands where:</p> <ul style="list-style-type: none"> (i) The land area remains cropland and/or grasslands or is reverted to forest; and (ii) Sustainable management practices are undertaken on these land areas to ensure in particular that the level of carbon stocks on these land areas does not systematically decrease over time (carbon stocks may temporarily decrease due to harvesting); and (iii) Any national or regional forestry, agriculture and nature conservation regulations are complied with; <p>(c) The biomass is non-woody biomass and originates from croplands and/or grasslands where:</p> <ul style="list-style-type: none"> (i) The land area remains cropland and/or grasslands or is reverted to forest; and (ii) Sustainable management practices are undertaken on these land areas to ensure in particular that the level of carbon stocks on these land areas does not systematically decrease over time (carbon stocks may temporarily decrease due to harvesting); and (iii) Any national or regional forestry, agriculture and nature conservation regulations are complied with; <p>(d) The biomass is a biomass residue and the use of that biomass residue in the CDM project activity (A/R) does not involve a decrease of carbon pools, in particular dead wood, litter or soil organic carbon, on the land areas from which the biomass residues originate;</p> <p>(e) The biomass is the non-fossil fraction of an industrial or municipal waste.</p>
Biomass, residues	Non-fossilized and biodegradable organic material originating from plants, animals and micro-organisms which is a by-product, residue or waste stream from agriculture, forestry and related industries.
Captive generation	Electricity generation in a power plant that supplies electricity only to consumer(s) and not to the electricity grid. The consumer(s) are either located directly at the site of the power plant or are connected through dedicated electricity distribution line(s) with the power plant but not via the electricity grid.
Carbon sequestration	Carbon sequestration is defined as a biological, chemical or physical process of removing carbon from the atmosphere and depositing it in a reservoir.
Cogeneration	Simultaneous production of electricity and useful thermal energy in one process.
Deadwood⁵	All non-living woody biomass not contained in the litter, either standing, lying on the ground, or in the soil. Dead wood includes wood lying on the surface, dead roots, and stumps larger than or equal to 10 cm in diameter or any other diameter used by the country.
Emission factor	Measure of the average amount of GHG emitted to the atmosphere by a specific process, fuel, equipment, or source.
Energy efficiency	Energy efficiency is defined as the improvement in the service provided per unit power, for example, project activities which increase unit output of traction, work, electricity, heat, light (or fuel) per MW input are energy efficiency project activities.
Feedstock	Gaseous, liquid or solid raw material used in manufacturing.
Forest	<p>A minimum area of land of 0.05 –1.0 hectare with tree crown cover (or equivalent stocking level) of more than 10 – 30 per cent with trees with the potential to reach a minimum height of 2 – 5 metres at maturity in situ and may include:</p> <ul style="list-style-type: none"> (a) Either closed forest formations where trees of various storeys and undergrowth cover a high proportion of the ground or open forest; (b) Young natural stands and all plantations which have yet to reach a crown density of 10–30 per cent or tree height of 2–5 metres; (c) Areas normally forming part of the forest area which are temporarily unstocked as a result of human intervention such as harvesting or natural causes but which are expected to revert to forest. <p>The definition of forest becomes applicable to a Party when:</p> <ul style="list-style-type: none"> (a) For an Annex I Party, the Party selects a single minimum tree crown cover value between 10 and 30 per cent, a single minimum land area value between 0.05 and 1 hectare and a single minimum tree height value between 2 and 5 metres, as provided under paragraph 16 of the Annex to decision 16/CMP.1; (b) For a non-Annex I Party, the Party selects a single minimum tree crown cover value between 10 and 30 per cent, a single minimum land area value between 0.05 and 1 hectare and a single minimum tree height value between 2 and 5 metres, as provided under paragraph 8 of the Annex to decision 5/CMP.1.

Fossil fuel	Fuels formed by natural resources such as anaerobic decomposition of buried dead organisms (e.g. coal, oil, and natural gas).
Greenfield facility	The construction of a new facility at a location where previously no facility exists, for example, construction of new power plant at a site where previously no power generation activity exists.
Greenhouse gas (GHG)	A greenhouse gas listed in Annex A to the Kyoto Protocol, unless otherwise specified in a particular methodology.
Grid	The spatial extent of the power plants that are physically connected through transmission and distribution lines to the project activity (e.g. the renewable power plant location or the consumers where electricity is being saved) and that can be dispatched without significant transmission constraints.
Harvesting	Cutting and removal of trees from forests for timber or other uses. In sustainable forestry, harvesting is followed by planting or natural regeneration of the forest.
Industrial gases	Greenhouse gases originating from chemical production processes that are not naturally occurring. In addition, N ₂ O from chemical production processes is included in this group of greenhouse gases.
Land use, land-use change and forestry	A GHG inventory sector that covers emissions and removals of GHG resulting from direct human-induced land use, land-use change and forestry activities.
Leakage	<p>For a CDM project activity (non-A/R) or PoA (non-A/R), the net change of anthropogenic emissions by sources of GHG which occurs outside the project boundary, and which is measurable and attributable to the CDM project activity or PoA, as applicable.</p> <p>For an A/R or SSC A/R CDM project activity or PoA (A/R), the increase in GHG emissions by sources or decrease in carbon stock in carbon pools which occurs outside the boundary of an A/R or SSC A/R CDM project activity or PoA (A/R), as applicable, which is measurable and attributable to the A/R or SSC A/R CDM project activity or PoA (A/R), as applicable.</p>
Litter⁵	Includes all non-living biomass with a diameter less than a minimum diameter chosen by the country (for example 10 cm), lying dead, in various states of decomposition above the mineral or organic soil. This includes the litter, fomic, and humic layers. Live fine roots (of less than the suggested diameter limit for below-ground biomass) are included in litter where they cannot be distinguished from it empirically.
Low-carbon electricity	Electricity that is generated using a less-GHG-intensive fuel than in the baseline (for example, electricity generated using natural gas in the project is low carbon electricity, when coal is used in the baseline for electricity generation).
Merit order	A way of ranking existing power plants in ascending order of their short-run marginal costs of electricity generation, so that those with the lowest marginal costs are the first ones to be brought on line to meet demand and the plants with the highest marginal costs are the last to be brought on line.
Project boundary	<p>For a CDM project activity (non-A/R) or CPA (non-A/R), the significant anthropogenic GHG emissions by sources under the control of the project participant that are reasonably attributable to the CDM project activity or CPA, as determined in accordance with the CDM rules and requirements.</p> <p>For an A/R or SSC A/R CDM project activity or CPA (A/R), geographically delineates the A/R or SSC A/R CDM project activity or CPA (A/R) under the control of the project participant as determined in accordance with the CDM rules and requirements.</p>
Reforestation	The direct human-induced conversion of non-forested land to forested land through planting, seeding and/or the human-induced promotion of natural seed sources, on land that was forested but has been converted to non-forested land.
Renewable energy	Energy that comes from solar, wind, rain, tides, geothermal heat and biological sources which are renewable (naturally replenished) in nature.
Sectoral scope	The category of GHG source sectors or groups of activities that apply to CDM project activities or PoAs. It is based on the sectors and source categories set out in Annex A to the Kyoto Protocol. A CDM project activity or PoA may fall within more than one sectoral scope.
Soil organic carbon⁵	Organic carbon in mineral and organic soils (including peat) to a specified depth chosen by the country and applied consistently through the time series. Live fine roots (of less than the suggested diameter limit for below-ground biomass) are included with soil organic matter where they cannot be distinguished from it empirically.

Standardized baseline	A baseline developed for a Party or a group of Parties, on a sub-national, national or group-of-countries basis rather than on a project basis, to facilitate the calculation of GHG emission reductions and removals by sinks and/or the determination of additionality for CDM project activities or PoAs, while providing assistance for assuring environmental integrity.
Suppressed demand	A scenario where future anthropogenic emissions by sources are projected to rise above current levels, due to the specific circumstances of the host Party.
Trigeneration	Simultaneous generation of electrical energy and thermal energy in the form of cooling and heating in one process.
Waste energy	Energy contained in a residual stream from industrial processes in the form of heat, chemical energy or pressure, for which it can be demonstrated that it would have been wasted in the absence of the project activity. Examples of waste energy include the energy contained in gases flared or released into the atmosphere, the heat or pressure from a residual stream not recovered (i.e. wasted).
Wetland	Area of land whose soil is saturated with moisture either permanently or seasonally.

⁵ According to Intergovernmental Panel on Climate Change Good Practice Guidance for Land Use, Land-Use Change and Forestry, table 3.2.1 on page 3.15

⁶ In accordance with the A/R modalities and procedures.