


| | |
|---|---|
|  | CDM: FORM FOR SUBMISSION OF A “LETTER TO THE BOARD” (Version 01.2) |
| | <p>This form should be used only by project participants and other stakeholders for submitting a “Letter to the Board” in accordance with the latest version of the <i>Modalities and procedures for direct communication with stakeholders</i></p> |
| <i>Name of the stakeholder¹ submitting this form (individual/organization):</i> | <p>Karen M. Nagai Ecopart Assessoria em Negócios Empresariais Ltda. (EQAO)</p> |
| <i>Address and contact details of the individual submitting this form:</i> | <p>Address: Padre João Manoel, 222 – 01411-000 – São Paulo, SP – Brazil Telephone number: +55 (11) 3063-9068 E-mail address: karen.nagai@eqao.com.br</p> |
| <i>Title/Subject (give a short title or specify the subject of your submission)</i> | <p>Inclusion of more than one large scale component/project using the same measure in to one CPA.</p> |
| <i>Please mention whether the submitter of the form is:</i> | <p><input checked="" type="checkbox"/> Project participant <input type="checkbox"/> Other stakeholder, please specify</p> |
| <i>Specify whether you want the letter to be treated as confidential²:</i> | <p><input type="checkbox"/> To be treated as confidential <input checked="" type="checkbox"/> To be publicly available (UNFCCC CDM web site)</p> |
| <i>Please choose any of the type(s) below³ to describe the purpose of this submission.</i> | |
| <p><input type="checkbox"/> Type I:</p> <p style="padding-left: 40px;"> <input checked="" type="checkbox"/> Request for clarification <input type="checkbox"/> Revision of existing rules </p> <p style="padding-left: 80px;"> <input type="checkbox"/> Standards. Please specify reference <input checked="" type="checkbox"/> Procedures. Please specify reference CDM Project Cycle Procedure <input type="checkbox"/> Guidance. Please specify reference <input type="checkbox"/> Forms. Please specify reference <input type="checkbox"/> Others. Please specify reference </p> <p><input type="checkbox"/> Type II: Request for Introduction of new rules</p> <p><input type="checkbox"/> Type III: Provision of information and suggestions on policy issues</p> | |
| <i>Please describe in detail the issue on which you request a response from the Board, including the exact reference source and version (if applicable).</i> | |

¹ DNAs and DOEs shall use the respective DNA/DOE forms for communication with the Board.

² As per the applicable modalities and procedures, the Board may make its response publicly available.

³ Latest CDM regulatory documents and information are available at: <http://cdm.unfccc.int/Reference/index.html> .

According to §112 of the “CDM Project Cycle Procedure”:

“To include a CPA in a registered CDM PoA, the coordinating/managing entity shall forward the completed specific case CPA-DD to any DOE, after having ensured that the CPA and the specific case CPA-DD meet the eligibility criteria for inclusion in the PoA defined in the PoA-DD and its generic CPA-DD. The coordinating/managing entity may forward more than one specific case CPA-DD at one time. Only upon the approval of the first specific case CPA-DD corresponding to a generic CPA-DD by the Board, CPAs corresponding to that generic CPA-DD may be included in the registered CDM PoA”.

However, the statement above does not clarify about the inclusion of more projects/components in a single CPA. Also, in the “CDM Project Standard”, there is no information regarding the inclusion of more than one component/project in a CPA, but the inclusion of CPAs in a registered PoA.

According to the glossary of CDM terms (version 7.0), CPA is:

“a single measure, or a set of interrelated measures under a PoA, to reduce GHG emissions by sources or result in net anthropogenic GHG removals by sinks, applied within a designated area defined in the baseline methodology(ies)”.

To the best understanding of the Project Participants (PPs), there is no CDM rule that prohibit the inclusion of more than one component/project applying the same measure in a CPA.

Therefore, the PPs would like to request the following clarifications considering no limitations in the eligibility criteria of the registered PoA for the inclusion of more than one component in a CPA:

1. Is it possible to include more than one component (plant) applying the same measure in a CPA?
2. In the case of small scale PoA, it can be included CPAs considering the limitations of small scale projects. Thus, is there a limit in respect to installed capacity for large scale projects to be included in a CPA?

Please provide any specific suggestions or further information which would address the issue raised in the previous section, including the exact reference source and version (if applicable).

>>

[replace this bracket with text, the field will expand automatically with size of text]

If necessary, list attached files containing relevant information (if any)

- [replace this bracket with text, the field will expand automatically with size of text]

Section below to be filled in by UNFCCC secretariat

Date when the form was received at UNFCCC secretariat 23 July 2013

Reference number 2013-280-S

----- History of document

| Version | Date | Nature of revision |
|---------|------------------|---------------------|
| 01.2 | 08 February 2012 | Editorial revision. |
| 01.1 | 09 August 2011 | Editorial revision. |

| | | |
|---|----------------|---------------------------|
| 01 | 04 August 2011 | Initial publication date. |
| Decision Class: Regulatory Document Type: Form Business Function: Governance | | |