



Approved standardized baseline clarification request form (Version 01.0)

To be used by an enquirer when submitting requests for clarification of approved standardized baselines in accordance with "Procedure: Development, revision, clarification and update of standardized baselines" (CDM-EB63-A28-PROC).

INFORMATION TO BE COMPLETED BY ENQUIRERS

Title/Subject: (Provide a short title or specify the subject of your submission, maximum 200 characters)	Applicability of f_{NRB} value to AMS II.G. / AMS I.E projects / PoAs
Reference (number, title and version) of the approved standardized baseline to which the request for clarification applies:	ASB0002-2017 Standardized baseline: Fuel switch, technology switch and/or methane destruction in the charcoal sector of Uganda Version 01.0
Name of the enquirer:	Climate-Secure Services
Affiliation:	<input type="checkbox"/> Designated National Authority (DNA) <input type="checkbox"/> Designated Operational Entity (DOE) <input type="checkbox"/> Project Participant (PP) <input type="checkbox"/> Coordinating/ Managing Entity (CME) <input checked="" type="checkbox"/> Other Stakeholder
Contact Information of the enquirer: (Email-addresses and phone contacts for procedural and technical communication on the submission)	rohit.lohia@climate-secure.com +91 9717093552
Name of authorized officer signing for the enquirer:	Rohit Lohia
Date (DD/MM/YYYY) and signature for the enquirer:	22/11/2019

Clarification request

Please substantiate the queries relating to the application of the approved standardized baselines. If the queries are related to a project activity or programme of activities under development or implementation, please describe the context in which they arose. If necessary, attach files or refer to sources of relevant information.

ASB0002-2017 provides standardized value of f_{NRB} for Uganda as 0.88. However, ASB0002 is applicable only to Projects / PoAs applying AMS III.BG or AMS III.K.

A clarification is requested if the f_{NRB} value approved in ASB0002 is applicable to projects / PoAs in Uganda applying other methodologies (AMS I.E. / AMS II.G.) given non-renewable biomass fraction is deemed a function of the corresponding country baseline and independent of the technology / measure or the methodology applied in the project activity.

Besides, after expiry of DNA endorsed default f_{NRB} value for Uganda in April 2017, no updated data value has been made available by DNA of Uganda.

- - - - -

Document information

<i>Version</i>	<i>Date</i>	<i>Description</i>
01.0	1 December 2013	Initial publication.
Decision Class: Regulatory		
Document Type: Form		
Business Function: Methodology		
Keywords: request for clarification, revising or withdrawing methodologies and tools, standardized baseline		